

Package: pkgnews (via r-universe)

September 6, 2024

Type Package

Title Retrieve R Package News Files

Version 0.0.2

Date 2021-03-12

Description Read R package news files, regardless of whether or not the package is installed.

License MIT + file LICENSE

URL <https://github.com/owenjonesuob/pkgnews>

BugReports <https://github.com/owenjonesuob/pkgnews/issues>

Imports utils

Suggests commonmark, httr, xml2, covr, testthat

SystemRequirements pandoc

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

Roxygen list(markdown = TRUE)

Repository <https://owenjonesuob.r-universe.dev>

RemoteUrl <https://github.com/owenjonesuob/pkgnews>

RemoteRef HEAD

RemoteSha 5d625f803c7e221ea722c681764479a676dd461a

Contents

news	2
Index	3

news

Read package news

Description

Retrieve the NEWS file of a package as a character vector.

Usage

```
news(package, installed_only = FALSE, allow_changelog = TRUE, width = NULL)
```

Arguments

`package` Character string giving the name of an R package.
`installed_only` Only check installed packages.
`allow_changelog` Whether to try and find a ChangeLog file if the NEWS can't be found.
`width` An optional positive integer - see [base::strwrap\(\)](#).

Value

A character vector containing the contents of the package's NEWS file (or possibly the ChangeLog file, if `allow_changelog = TRUE`). An error is thrown if no news could be found.

Examples

```
## Not run: news("pkgnews")
```

Index

`base::strwrap()`, [2](#)

`news`, [2](#)